



Model: L-1

One Way Blow Pattern - Long Blades - Flush Surface Mount

L-1 - Flush Surface Mount



Rectangular Neck Sizes Available	
Min	Max
4	24




1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame LIPF - Lay-In Plaster Frame	IS - Insect Screen NSH - No Screw Holes	• Largest single section is 24x24 All Dimensions $\pm 1/16"$

Model: S-1


One Way Blow Pattern - Short Blades - Flush Surface Mount

S-1 - Flush Surface Mount



Side View

Rectangular Neck Sizes Available	
Min	Max
4	24




Face View

[illegible]


Model: LT-1

Two Way Blow Pattern - Long Blades - Flush Surface Mount

LT-1 - Flush Surface Mount



Rectangular Neck Sizes Available	
Min	Max
4	24




1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame LIPF - Lay-In Plaster Frame	IS - Insect Screen NSH - No Screw Holes	Largest single section is 24x24 All Dimensions $\pm 1/16"$


Model: ST-1

Two Way Blow Pattern - Flush Surface Mount

ST-1 - Flush Surface Mount



Rectangular Neck Sizes Available	
Min	Max
4	24




1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame LIPF - Lay-In Plaster Frame	IS - Insect Screen NSH - No Screw Holes	• Largest single section is 24x24
All Dimensions $\pm 1/16"$			

Model: LTC-1


Two Way Corner Blow Pattern - Flush Surface Mount

LTC-1 - Flush Surface Mount



Side View

Rectangular Neck Sizes Available	
Min	Max
4	24




Face View

[illegible]


Model: LTC3-1

Three Way Corner Blow Pattern - Flush Surface Mount

LTC3-1 - Flush Surface Mount




Rectangular Neck Sizes Available	
Min	Max
4	24

[illegible]


Model: LS3-1

Three Way Blow Pattern - Flush Surface Mount

LS3-1 - Flush Surface Mount



Rectangular Neck Sizes Available	
Min	Max
4	24




1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame LIPF - Lay-In Plaster Frame	IS - Insect Screen NSH - No Screw Holes	Largest single section is 24x24 All Dimensions ±1/16"


Model: LS4-1

Four Way Blow Pattern - Flush Surface Mount

LS4-1 - Flush Surface Mount



Side View



Face View


Rectangular Neck Sizes Available	
Min	Max
4	24

1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame LIPF - Lay-In Plaster Frame	IS - Insect Screen NSH - No Screw Holes	Largest single section is 24x24 All Dimensions ±1/16"

Model: L-6


One Way Blow Pattern - Long Blades - T-Bar Lay-In

L-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24

Rectangular Neck Sizes Available	
Min	Max
4	24



1. Available Finishes

Standard Finish:
01 White
Finish
24 Mill Finish
Optional Finish
02 Satin Silver
03 Black
28 Custom Color

2. Available Accessories

OBD - Steel Opposed Blade Damper
OBDA - Aluminum OBD
L9 - Equalizing Grid
PF - Plaster Frame
TR-Deep - Deep Transition
LIPF - Lay-In Plaster Frame

3. Available Options

IS - Insect Screen

4. Construction Details


- Largest single section is 24x24

All Dimensions $\pm 1/16"$


Model: S-6

One Way Blow Pattern - Short Blades - T-Bar Lay-In

S-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24



Rectangular Neck Sizes Available	
Min	Max
4	24

1. Available Finishes

Standard Finish:
01 White
Finish
24 Mill Finish
Optional Finish
02 Satin Silver
03 Black
28 Custom Color

2. Available Accessories

OBD - Steel Opposed Blade Damper
OBDA - Aluminum OBD
L9 - Equalizing Grid
PF - Plaster Frame
TR-Deep - Deep Transition
LIPF - Lay-In Plaster Frame

3. Available Options

IS - Insect Screen

4. Construction Details


- Largest single section is 24x24

All Dimensions $\pm 1/16"$

Model: LT-6


Two Way Blow Pattern - Long Blades - T-Bar Lay-In

LT-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24

Rectangular Neck Sizes Available	
Min	Max
4	24



1. Available Finishes

Standard Finish:
01 White
Finish
24 Mill Finish
Optional Finish
02 Satin Silver
03 Black
28 Custom Color

2. Available Accessories

OBD - Steel Opposed Blade Damper
OBDA - Aluminum OBD
L9 - Equalizing Grid
PF - Plaster Frame
LIPF - Lay-In Plaster Frame

3. Available Options

IS - Insect Screen

4. Construction Details


- Largest single section is 24x24

All Dimensions $\pm 1/16"$

Model: ST-6


Two Way Blow Pattern - Short Blades - T-Bar Lay-In

ST-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24

Rectangular Neck Sizes Available	
Min	Max
4	24



1. Available Finishes

Standard Finish:
01 White
Finish
24 Mill Finish
Optional Finish
02 Satin Silver
03 Black
28 Custom Color

2. Available Accessories

OBD - Steel Opposed Blade Damper
OBDA - Aluminum OBD
L9 - Equalizing Grid
PF - Plaster Frame
LIPF - Lay-In Plaster Frame

3. Available Options

IS - Insect Screen

4. Construction Details


- Largest single section is 24x24

All Dimensions $\pm 1/16"$

Model: LTC-6


Two Way Corner Blow Pattern - T-Bar Lay-In

LTC-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24


Rectangular Neck Sizes Available	
Min	Max
4	24

[illegible]

Model: LTC3-6


Three Way Corner Blow Pattern - T-Bar Lay-In

LTC3-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24


Rectangular Neck Sizes Available	
Min	Max
4	24

[illegible]

Model: LS3-6


Three Way Blow Pattern - T-Bar Lay-In

LS3-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24


Rectangular Neck Sizes Available	
Min	Max
4	24

[illegible]

Model: LS4-6


Four Way Blow Pattern - T-Bar Lay-In

LS4-6 - T-Bar Lay-In



Standard Module Sizes		
Neck 1		Neck 2
12	x	12
24	x	24
12	x	24
24	x	24

Rectangular Neck Sizes Available	
Min	Max
4	24

[illegible]